



ApiCom

The new **real-time autonomous** bus stations signs

ADVANTAGES



Reduced acquisition costs

Effortless installation

Wireless, quick and easy to deploy (<1h)

Low maintenance costs

Remote monitoring and settings, instant alerts

Energy: Integrated solar panel or battery

Exchange interface on the data source

Interfaced with multi-carriers platform (SIRI, OpenData, GTFS...)

A COMPLETE PRODUCT RANGE



Sun readable

Various size (L/H/E mm): 330 to 510 / 200 to 320 / 60

From 1 to 4 lines

Service messages and dynamic QR codes

Temperature range: -15 °C / + 50 °C



ApiCom

SOUND AND VISUAL

Voice messages with radio remote control
(For the visually impaired people - NF32002)



AUTONOMOUS ENERGY



Integrated solar panel and rechargeable batteries
Autonomy: unlimited

Signs with non rechargeable battery
Autonomy: from 3 to 6 years (according to sign version)



REMOTE MONITORING

Remote supervision and settings: battery level, solar panel charge current, signs real time local view, various events reports and trends, alarms...



N°	Nom	Identifiant arret	Format	Date & heure	Etat	Temperature	Liaison	RSSI	Made alim.	Batterie	Utile	Ubat	Charge
7	Stades-Lagrange	SLAG	3, EDC		Alarmer								
7	Sevres-Babylo	SBABY	3, EDC	28/07/2017 16:59:55	Alarmer	21,5 °C	100 %	-50 dbm	Eco. fort	28 %	-	3,36 V	-
41	Champ de Mars	COMAR	3, C-PC	05/03/2018 16:04:28	Alarmer	20,3 °C	100 %	-90 dbm	Eco. moyen	33 %	-	3,50 V	0 mA
9	Boreo	BSECO	2, EDC		Alarmer								
10	Rea-Allice	REALIC	4, EDC		Alarmer								
11	Institut Pasteur	PASTP	3, EDC	08/12/2017 01:42:03	Alarmer	17,0 °C	100 %	-50 dbm	Eco. moyen	100 %	-	3,56 V	-
24	Sevres-Babylo	SBABY	3, C-PC	28/11/2017 15:19:00	Alarmer	20,5 °C	40 %	-86 dbm	Normal (ple)	100 %	-	3,38 V	-
29	Champ de Mars	COMAR	3, C-PC	14/02/2018 16:35:18	Alarmer	19,0 °C	100 %	-90 dbm	Eco. fort	30 %	-	3,38 V	1 mA
24	Institut Pasteur	PASTP	3, C-PC	05/03/2018 16:04:46	-	22,0 °C	100 %	-51 dbm	Normal	73 %	-	3,64 V	2 mA
41	Boreo	BSECO	3, C-PC	05/03/2018 16:04:47	Alarmer	19,0 °C	100 %	-50 dbm	Eco. fort	9 %	-	3,38 V	2 mA
46	Rea-Allice	REALIC	3, C-PC	21/04/2017 10:05:20	Alarmer	22,0 °C	100 %	-79 dbm	Normal	100 %	-	4,02 V	1 mA
51	Champ de Mars	COMAR	3, C-PC	05/03/2018 16:04:46	-	13,0 °C	100 %	-51 dbm	Normal	100 %	-	3,92 V	0 mA
59	Institut Pasteur	PASTP	3, C-PC	05/03/2018 16:04:58	-	13,0 °C	100 %	-64 dbm	Normal	100 %	-	3,52 V	0 mA
63	Rea-Allice	REALIC	3, C-PC	05/03/2018 16:04:39	-	13,3 °C	100 %	-57 dbm	Normal	100 %	-	4,18 V	0 mA
68	Sevres-Babylo	SBABY	4, C-PC	05/03/2018 16:04:54	-	13,5 °C	100 %	-64 dbm	Normal	100 %	-	3,90 V	10 mA

COMATIS

8 rue CARNOT - 78210 Saint-Cyr-l'Ecole
Phone : +33 (0)1 39 30 29 00
Fax : +33 (0)1 39 30 29 01
Info02@comatis.com
www.comatis.com

